



A Peer Reviewed International Journal of Asian
Academic Research Associates

AARJSH
ASIAN ACADEMIC RESEARCH
JOURNAL OF SOCIAL
SCIENCE & HUMANITIES



WHY GREENHOUSE GAS THEORY IS INVALID

DAVID BENNETT LAING¹

¹Retired professor of Earth systems science, University of Maine system.

Abstract

Infrared (thermal, or heat) radiation from a material body is generated by the vibrations of the molecular bonds of its surface, which are resonantly induced by incident radiation from some heat source, such as Sun. Common experience affirms that no object, including Earth, can heat itself with its own radiation, because if it could, the object would spontaneously heat up and vaporize, which clearly doesn't happen. In order to increase the temperature of the surface, and hence of its emitted radiation, the vibrations and/or the amplitudes of vibration of its molecular bonds must also be increased by some independent heat source. Since, however, all radiative emissions from CO₂ and other "greenhouse gases" are contained within the infrared output of Earth's surface, this indicates that there is no such independent heat source for these gases and the molecular bonds they impact. All such "greenhouse gases" must, consequently, only be regarded as recycled parts of Earth's infrared radiative output, and as such, they are incapable of increasing the vibrations of the molecular bonds of the surface, which have produced those radiative emissions in the first place and therefore are already vibrating at all frequencies and amplitudes represented in them. This disqualifies CO₂ and other gases as independent sources of heating and thus as greenhouse gases in Earth's environment. Therefore, CO₂ can't be regarded as a viable source of global warming or as a justification for thermophobia. Other arguments discrediting the CO₂/warming link are also briefly described.

References:

- <http://elte.prompt.hu/sites/default/files/tananyagok/InfraredAstronomy/ch03s02.html>
- Jastrow, R., 1948, On the Rydberg-Ritz Formula in Quantum Mechanics. Phys. Rv. 73:60.
- The Wien temperature, corresponding to the most intense line in the continuous Planck spectrum emitted
- by a blackbody radiator, and taken to represent the actual temperature of the radiator.